



Special Nitinol Shape Memory Super Elastic



G6




ABNOUS
آبنوس نکوپر داز



G6

NiTi System



+ Swiss technology




GLOBAL TOP Inc.
Tel : +82-31-908-0222 / Fax : +82-31-908-0224
www.global-top.net

Specification:


File #	0	1	2	A1	A2	A3
G6 NiTi System						
Tip Diameter	Ø18	Ø17	Ø19	Ø20	Ø25	Ø30
Taper	4%~25%	3%~9%	4%~8%	7%	8%	9%
Length	19mm	21mm / 25mm				
Torque	2.5 N-cm					
Speed	250~450 rpm					

Unique features:

- 1 New Nano Coating-Extended Life - Resistance to wear and fatigue breakdown



- 2 Convex triangular design - Highly efficient cutting with NO SCREW-IN effect.



ABNOUS
آبنوس نکوپر داز



GLOBAL TOP Inc.
Tel : +82-31-908-0222 / Fax : +82-31-908-0224
www.global-top.net

GLOBAL TOP INC.



0



88813-19005861/19mm
Tip Size : Ø18
Taper : 0.04%~0.25%

GLOBAL TOP INC.



1



88813-21015865 / 21mm
88813-25015861 / 25mm
Tip Size : Ø17
Taper : 0.03%~0.09%

GLOBAL TOP INC.



2



88813-21025864 / 21mm
88813-25025860 / 25mm
Tip Size : Ø19
Taper : 0.04%~0.08%

GLOBAL TOP INC.



A1



88813-21115862 / 21mm
88813-25115868 / 25mm
Tip Size : Ø20
Taper : 0.07%

GLOBAL TOP INC.



A2



88813-21115862 / 21mm
88813-25125867 / 25mm
Tip Size : Ø25
Taper : 0.08%

GLOBAL TOP INC.



A3



88813-21135860 / 21mm
88813-25135866 / 25mm
Tip Size : Ø30
Taper : 0.09%